




GENERAL NOTES

- 1 PUMP DOES NOT REQUIRE SUPPORTS, ENSURE THAT PIPING IS PROPERLY SUPPORTED AND NO STRAIN IS PUT ON THE CONNECTIONS TO THE PUMP.
- 2 FLUID FLOW/DIRECTION CAN BE DONE VERTICAL OR HORIZONTAL. REGARDLESS OF FLOW/DIRECTION THE PUMP MOTOR MUST BE HORIZONTAL, ANY OTHER CONFIGURATION WILL BE DETRIMENTAL TO THE LIFETIME AND OPERATION OF THE PUMP.
- (3) NOT REQUIRED BUT IT IS RECOMMENDED TO INSTALL ISOLATION VALVES ON BOTH SIDES OF PUMP FOR MAINTENANCE.
- (4) PUMP INCLUDES AN INTEGRAL CHECK VALVE.
- (5) PUMPS OPTIONS SHOWN ARE FOR TERMINAL BOX AND LINE CORD. LINE CORD WILL BE INCLUDED WITH PUMP.
- ALL STAINLESS STEEL SELECTIONS ARE ANSI / NSF61 / NSF372 CERTIFIED FOR USE WITH DRINKING WATER APPLICATIONS.





ALPHA2 WITH TERMINAL BOX AND LINE CORD AND SCHEMATIC

SCALE: NTS



DRAWING HILE:
GRUNDFOS ALPHA2 DETAIL AND SCHEMATIC
DRAWING

DRAWING NUMBER: 012

DRAWN BY

LAST REVISED 01/28/2022

DRAWING SCALE NTS

ALL INFORMATION
SHOWN IS PROPERTY
OF HURLEY
ENGINEERING, INC. THIS
DOCUMENT IS NOT TO
BE REDISTRIBUTED OR
COPIED OR USED FOR
THE MANUFACTURING
OF EQUIPMENT
WITHOUT PRIOR
WRITTEN CONSENT
FROM HURLEY
ENGINEERING, INC.

QR CODE